


Installing Tomcat 7

Download Tomcat 7.0 from <http://tomcat.apache.org/download-70.cgi> into a folder where you can find it. Extract the zip file and move the folder into the location where Tomcat will reside, i.e. C:\apache-tomcat-7.0.55. For this installation Tomcat will be installed so that it is not a Windows Service by clicking and saving using the “64-bit Windows.zip” link Tomcat can also be installed as a Windows Service by clicking and saving using the “32-bit/64-bit Windows Service Installer” link.



The screenshot shows the Apache Tomcat website's download page for version 7.0.55. The page is titled "Tomcat 7 Downloads" and includes a search bar, navigation links, and a list of binary distributions. The browser's address bar shows the URL "tomcat.apache.org/download-70.cgi".

Apache Tomcat

Search the Site... Search

Tomcat 7 Downloads

Welcome to the Tomcat 7.x download page. This page provides download links for obtaining the latest version of Tomcat 7.0.x, as well as links to the archives of older releases.

Quick Navigation

[KEYS](#) | [7.0.55](#) | [Browse](#) | [Archives](#)

Release Integrity

You **must** verify the integrity of the downloaded files. We provide OpenPGP signatures for every release file. This signature should be matched against the [KEYS](#) file which contains the OpenPGP keys of Tomcat's Release Managers. We also provide an MD5 checksum for every release file. After you download the file, you should calculate a checksum for your download, and make sure it is the same as ours.

Mirrors

You are currently using <http://apache.mirrors.pair.com/>. If you encounter a problem with this mirror, please select another mirror. If all mirrors are failing, there are *backup* mirrors (at the end of the mirrors list) that should be available.

Other mirrors:


7.0.55

Please see the [README](#) file for packaging information. It explains what every distribution contains.



Binary Distributions

- Core:
 - [zip \(pgp, md5\)](#)
 - [tar.gz \(pgp, md5\)](#)
 - [32-bit Windows zip \(pgp, md5\)](#)
 - [64-bit Windows zip \(pgp, md5\)](#)
 - [64-bit Itanium Windows zip \(pgp, md5\)](#)


The instructions for setup are given in the file Running.txt in the folder that was extracted from the zip file. Note that you must set up the environment variables CATALINA_HOME and JAVA_HOME. To set up environment variables in Windows 8 (Windows 7 is similar) right click on “This PC” in File Explorer





Click on Properties which will bring up the Dialog Below. Choose Advanced System Settings in that Dialog. This brings up the Dialog with a button to go to the Environment Variables.



In this dialog choose Environment Variables. This will bring up the dialog on the next page.



In this dialog add new System Variables (they will be present for all users on the computer). This is done by clicking on the New button giving the Dialog below.



Tomcat is now setup to be started.

To start Tomcat go into the Tomcat installation and in the bin folder double click on the startup.bat file. Shutdown is accomplished through the shutdown.bat file.